

FROM THE SYSTEM TO THE STREAM...



STANDPIPE ESSENTIALS

MODEL 105A



DRAIN ELBOW

- 45 degree design reduces hose kinks
- Built in drain works in any position
- Free swivel inlet allows movement
- Lightweight aluminum, 2.00 lbs

MODEL 555A



STANDPIPE FLOWMETER

- Accurate digital readout of flow and pressure up to 250 gpm / 250 psi
- Rechargeable 9V battery powered
- 5 hours use per charge with low battery indication and standby mode
- Lightweight aluminum, 5.25 lbs

MODEL 228A



INLINE PRESSURE GAUGE

- 0-200 psi phosphorescent air filled gauge
- Gauge cover for storing
- Free swivel inlet allows movement
- Lightweight aluminum, 2.85 lbs

MODEL X86A



GATE VALVE

- Puts valve control in the hands of the fire attack teams
- Gate style valve function for easy adjustment for proper flow and pressure
- Lightweight aluminum, 5.5 lbs

2-1/2"

ATTACK PACKAGES

2.5" XD SHUTOFF WITH 187-XD SHORT BARREL SMOOTH BORE (SHOWN)



- Shutoff features forged aluminum bale handle and full round ball
- Tip features protective bumper and laser etched flow rate
- Operates at low tip pressures and can pass through large debris
- Preferred size: 1-1/8" flows 265 gpm @ 50 psi

2"

ATTACK PACKAGES

1.5" XD SHUTOFF WITH 188-XD LONG BARREL SMOOTH BORE (SHOWN)



- Shutoff features forged aluminum bale handle and full round ball
- Tip features protective bumper and laser etched flow rate
- Operates at low tip pressures and can pass through large debris
- Preferred size: 1-1/16" flows 240 gpm @ 50 psi

BREAK APARTS

1.5" XD SHUTOFF WITH INTEGRATED SMOOTH BORE & CHIEF XD FOG TIP (SHOWN)

- Shutoff features forged aluminum bale handle and full round ball
- Integrated Smooth Bore Shutoff operates at low pressure and can pass large debris, also ideal for extend operations
- Fog tip available in variety of flow and pressure configurations

**Note: Many options available, above represents most popular nozzle configurations*



DIGITAL SET UP



ANALOG SET UP



ADAPTERS



111A INCREASER

- 1.5" Female x 2.5" Male
- Ideal for extend operations
- Low profile knurling



101A REDUCER

- 2.5" Female x 1.5" Male "Plate" Style Reducer
- Swivel inlet
- Low profile knurling



102A REDUCER

- 2.5" Female x 1.5" Male "Bell" Style Reducer
- Swivel inlet
- Low profile knurling

THE ELKHART STANDPIPE BAG

- Custom designed specifically for standpipe operations
- Features several internal and external pockets ideal for door chocks, pipe wrenches, wire brushes, adapters, etc.
- Handles made of seat belt webbing with seat belt buckle fasteners
- Bag made of durable materials with reinforced stitching and reflective trim

GET THE KIT!

INCLUDES:

- (1) Standpipe Bag
17" L x 9" W x 9" H
- (1) 228A Pressure Gauge
- (1) 105A Elbow
- (1) X-86A Gate Valve
- (2) T-464 Spanner Wrenches



URFA FIELD ADJUSTABLE PRESSURE REDUCING VALVE

THE ONLY FIREFIGHTER FRIENDLY VALVE ON THE MARKET!

- Nested spring design only requires a force of 15 ft/lbs compared to 75 ft/lbs of other valves
- Tamper proof lexan protects valve settings from vandalism but can easily be removed by firefighting crews
- Adjustments can easily be made on the fly with a push rod at much less torque

www.elkhartbrass.com • 574.295.8330 • eb.info@safefleet.net

YOUR SAFETY. OUR MISSION.

ELKHART BRASS
FIRE FIGHTING EQUIPMENT A SAFE FLEET BRAND

SEE VIDEOS AT:
www.brasstackshardfacts.com

BRASS TACKS
HARD FACTS

SAFE FLEET
Emergency & Industrial