

**XD nation** HARRISBURG, PA



# SMOOTH BORE XD™

Elkhart Brass took the classic smooth bore tip to the next level. The XD's smooth bore tips feature durable urethane bumpers and laser etching. You'll also find extra knurling added for increased control and grip.

**KEY FEATURES:**

- Lightweight aluminum construction
- Laser etched flow rates
- Durable urethane molded bumper
- Customize the model 187-XD and 188-XD with 12 different bumper colors

## SMOOTH BORE SINGLE TIPS

### 185-XD – Exposed Extending Threads

1.5" Inlet / 1.5" Outlet / 4.5" (114 mm) Length

Available discharge sizes: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"

### 187-XD – Short Barrel

1.5" Inlet / 4.5" (114 mm) Length

Available discharge sizes: 1/2", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"

### 188-XD – Long Barrel

1.5" Inlet / 7.0" (177 mm) Length

Available discharge sizes: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"



185-XD

187-XD

188-XD

## SMOOTH BORE STACKED TIPS

### ST-184-XD – High Rise Stack

1.5" Inlet / 6.625" (168 mm) Length

Available discharge sizes: 1" & 1-1/8"

### ST-185-XD – FDNY Stack

1.5" Inlet / 6.625" (168 mm) Length

Available discharge sizes: 1/2" & 7/8", 15/16", 1-1/8", or 1-3/16"

### ST-185-XD-IFD – Indy Stack

1.5" Inlet / 7.625" (193 mm) Length

Available discharge sizes: 1-1/8" & 1-1/4"

### ST-185-XD-CAFS – CAFS Stack

1.5" Inlet / 7.625" (193 mm) Length

Available discharge sizes: 15/16" & 1-1/8"

### ST-190-XD – Triple Stack

1.5" Inlet / 9.0" (228 mm) Length

Available discharge sizes: 1", 1-1/8" & 1-1/4"



ST-184-XD

ST-185-XD

ST-185-XD-IFD

ST-185-XD-CAFS

ST-190-XD

## SPECIFY WHEN ORDERING:

- Smooth Bore discharge size (if applicable)
- Bumper color (if applicable) (black standard)
- Inlet threads

SEE CUSTOMIZATION OPTIONS ON PAGES 21-22  
CONFIGURE YOURS AT [XDCONFIGURATOR.COM](http://XDCONFIGURATOR.COM)





## SMOOTH BORE XD COLORS

Choose bumper color (black is standard on XD Smooth Bores)



Orange



Red



Yellow



Glow



Tan



Pink



Green



Blue



Black



White



Gray



Purple

## INLET THREADS

No upcharge for customer specific inlet threads

- NHT (Standard)
- NPSH
- BSPP
- Others available. Please provide thread spec: ODM (Outside Diameter Male), TPI (Threads Per Inch), and Province/City. (Ex. 3.030 x 8 NYFDThread)

CONFIGURE YOURS AT  
[XDconfigurator.com](http://XDconfigurator.com)